

POISON

- **For Heavy Infestations**
- **Single Feed**
- **With Brodifacoum**

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



ACTIVE CONSTITUENT: 0.05 g/kg BRODIFACOUM
Contains Denatonium Benzoate (Bittering Agent)

Ready to use bait for use in commercial, agricultural and domestic buildings.

KILLS RATS & MICE



Manufactured by:



www.belllabs.com
Madison, WI 53704 U.S.A.
MADE IN USA

Net 2.5 kg



Australian Agent:
Barmac
A Division of Amgrow Australia Pty Ltd
(ABN 22 069 900 456)
82 Christensen Road, Stapylton, QLD 4207
EMERGENCY CONTACT NO. 1800 AMGROW
(1800 264 789)
www.barmac.com.au

APVMA APPROVAL NO: 51280/2.5KG/0407



608PU-6

022120/0819
Product Code: 931008

DIRECTIONS FOR USE

RESTRAINTS:

DO NOT exceed 3m between bait stations for mice or 9m for rats. DO NOT place bait stations in open. Mice require several bait stations, 50g per station (less than 1 g will kill a mouse). Rats require large quantities of bait in one or two locations, 50–100g per station (4–6g will kill a rat). For effective control continue until feeding ceases.

DO NOT apply bait to crops.

Baiting Strategy:

Eliminate as far as practicable, all other food sources. Bait infested area. Place bait stations under cover. Inspect bait stations daily. Replace eaten baits. If quickly eaten, increase number of bait stations. Continue observation and replenish until no more baits are taken. Baiting for at least two weeks is necessary to reduce rat/mouse numbers.

SITUATION: In and around agricultural, commercial and domestic buildings.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

THE USE OF THIS PRODUCT FOR THE CONTROL OF PROTECTED NATIVE RODENTS REQUIRES PERMISSION FROM WILDLIFE AUTHORITIES.

GENERAL INSTRUCTIONS

Pellets are not subject to wind dispersal. Most deaths occur 4 to 7 days after consumption of bait. Locate bait stations along walls or rafters and in dark sheltered spots where there are signs of rodent activity. Nail or fix in place if relevant. Record the number and locations of bait stations for purpose of replenishment and later removal.

STORAGE AND DISPOSAL

Store in a tightly closed, original container in a dry well ventilated area, as cool as possible out of a direct sunlight. Shake empty container onto baiting site. Break, crush or puncture and bury empty container in a local authority landfill. If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and roots. Empty containers and product should not be burnt. Search for and burn or bury all rodent bodies, do not place in refuse bins or in rubbish tips. Ensure uneaten baits are removed and disposed of with the empty containers when rodent activity has ceased.

POISON



KILLS RATS & MICE

PRECAUTION: KEEP OUT OF REACH OF CHILDREN
Keep away from food and water and surfaces which come in contact with food and water.

PROTECTION OF LIVESTOCK, WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate dams, streams, rivers, waterways and drains with the bait or its used container. The bait is hazardous to pigs, cats, dogs, poultry, birds and wildlife and care should be exercised in its use. DO NOT place baits in locations which are accessible to domestic animals, livestock or birds. The product is restricted to use in and around buildings (within 2 metres), or enclosed spaces, e.g. drains. Search for and burn or bury all rodent bodies, do not place in refuse bins or rubbish tips. Ensure uneaten baits are removed and disposed of with empty containers when rodent activity has ceased.

Net 2.5 kg

TOMCAT is a trademark of Bell Laboratories, Inc., USA

SAFETY DIRECTIONS

Poisonous if swallowed. DO NOT inhale dust. DO NOT touch bait. Use scoop or measure. If on skin and after each baiting, wash thoroughly with soap and water. Vitamin K₁ (Phytomenadione) is antidotal.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26; New Zealand 0800 764 766.

SDS

For further information please refer to the Safety Data Sheet which can be obtained from the supplier.

In a transport emergency dial 000, Police or Fire Brigade.

For specialist advice in an emergency only, call (02) 9037 2994 (24 h).

CONDITIONS OF SALE

The use of TOMCAT II is beyond the control of the manufacturer. Therefore, no warranty, expressed or implied is given by Bell Laboratories, Inc. regarding its suitability or efficacy for any purpose. Bell Laboratories, Inc. cannot accept any responsibility for any consequence whatsoever resulting from the use of this product, save for those nonexcludable conditions implied by the Competition and Consumer Act 2010.

APVMA APPROVAL NO: 51280/2.5KG/0407

GHS Hazard and Precautionary Statements

May cause damage to organs through prolonged or repeated exposure.

Do not eat, drink or smoke when using this product. Avoid release to the environment. If eye irritation persists: seek medical attention. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. In case of fire: Preferred extinguishing media are carbon dioxide, dry chemical, foam, water fog.

Batch No.:

D.O.M.: