

DANGEROUS POISON

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

RESTRAINTS:

DO NOT apply bait to bare ground (including fallow where there is no vegetative cover).

DO NOT apply bait in a trail.

DO NOT apply bait if heavy rain is imminent.

DO NOT apply bait to the outer 50m of crop or within 50m of native vegetation. A 50m buffer zone must be employed to reduce the risk to birds and other non-target animals.

DO NOT apply bait unless monitoring of mouse numbers indicate the potential for crop damage of economic significance.

DIRECTIONS FOR USE

Situation	Pest	Rate	Critical Comments
Grain crops, legume crops, canola, safflower, nut crops, and pasture. (NOTE: for all situations - only as a post emergent treatment, stubble of harvested crop prior to sowing seed, or when seed have been sown into crop stubble or other similar ground cover).	Mice	1 kg/ha to achieve an even coverage of 1 pellet/m ²	Bait is only to be applied by aerial application or accurately calibrated ground application equipment to achieve an even coverage of 1 pellet/m ² . It is imperative that all attempts are made to apply bait as evenly as possible to maximise product efficacy and minimise risks to non-target animals. ZP MOUSE will provide a high level of control in most situations. However, in areas of extremely high mice densities or areas with significant amounts of alternative feed, sufficient mice may remain to cause damage to crops after treatment. Retreatment after 14 days may therefore be required in certain circumstances. It is recommended that pre-treatment estimates of the severity of the mouse problem are performed before applying bait and that post-baiting estimates are conducted to assess the effectiveness of the control operation. For information on the most effective methods for monitoring of mouse populations, please contact the government department in your state responsible for vertebrate pest control. Bait may retain activity for several days after light rain or in damp conditions, and light showers can be tolerated. Maximum performance will however be expected under dry conditions.

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

THIS PRODUCT IS TOO HAZARDOUS TO USE IN THE HOME GARDEN. DO NOT USE THIS PRODUCT IN THE HOME GARDEN.

WITHHOLDING PERIOD

DO NOT harvest any crops or allow livestock to graze baited areas for 14 days after application.

Bait Can Tolerate Light Showers

Maximum Performance Under Dry Conditions

ZP[®]
MOUSE
ZINC PHOSPHIDE BAIT
ACTIVE CONSTITUENT: 20g/kg ZINC PHOSPHIDE



For the control of heavy infestations of mice in agricultural situations.

THIS PRODUCT IS NOT TO BE AVAILABLE EXCEPT TO PERSONS AUTHORISED OR LICENSED UNDER THE RELEVANT STATE OR TERRITORY POISONS CONTROLS FOR SCHEDULE 7 POISONS.

NET 10 kg

Manufactured by:



Australian Agent:
Barmac

A Division of Amgrow Australia Pty Ltd
(ABN 22 069 900 456)
82 Christensen Road, Stapylton, QLD 4207
EMERGENCY CONTACT NO: 1800 AMGROW
(1800 264 789)
www.barmac.com.au



PROTECTION OF WILDLIFE, THE ENVIRONMENT AND LIVESTOCK:

Bait should be distributed to minimise exposure to non-target wildlife, especially birds and livestock. It is preferable to place baits late in the day when birds have finished feeding. Particular care should be taken when baits are applied near native vegetation using aircraft, as high bait concentrations may occur on the ground beneath aircraft that need to climb steeply. Spilt bait must be collected immediately and applied according to label directions or buried below one metre.

STORAGE AND DISPOSAL:

The contents of each container should be used within 3 months of opening. Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight. Store in a locked room away from children, animals, food, feedstuffs, seed and fertilizers. Store away from acids, water and any source of heat or ignition. Dispose of used containers by crushing and burying below one metre in a disposal pit specifically marked and set up for this purpose, clear of waterways, vegetation and roots. Excess or unused baits must be buried below one metre. Empty containers and product must not be burnt.

SAFETY DIRECTIONS: Poisonous if swallowed. Releases dangerous phosphine gas slowly in moist air and immediately if wet. Do not inhale vapour. Avoid contact with eyes and skin. Keep away from water and liquids. Keep away from naked flames - forms toxic gas. When opening the container and using baits wear elbow length PVC gloves and a full face respirator with combined dust and gas cartridge or supplied air respirator. Wash hands after use. After each day's use wash gloves and respirator and, if rubber, wash with detergent and warm water.

FIRST AID: If poisoning occurs, contact a doctor or Poisons Information Centre phone Australia: 13 11 26. Do not give direct mouth-to-mouth resuscitation if swallowed. To protect rescuer, use air-viva, oxy-viva or one-way mask. Resuscitate in a well-ventilated area.

SDS: Additional information is listed in the Safety Data Sheet which can be obtained from the supplier.

In a transport emergency dial 000, Police or Fire Brigade.

For specialist advice in an emergency only, call (02) 9037 2994 (24 h).

APVMA Approval No.: 60832/10KG/54449

Batch Number:

Date of Manufacture:

